


PERI Rental Criteria

PS100 Deck



Item no. Weight kg

Item no.	Weight kg		Note
201272	4.16	PS100 Deck 500	Mounted on RHS 60x30 (PS100 Ledgers / UH / UH-2) Suitable for PS100 and PERI UP One side can be adjusted 22 mm. The red mark at the top indicates the position for PS100. Width: 245 mm
201264	5.26	PS100 Deck 750	
201265	6.52	PS100 Deck 1000	
201266	8.72	PS100 Deck 1500	
201267	10.92	PS100 Deck 2000	
201268	12.92	PS100 Deck 2500	
201269	15.32	PS100 Deck 3000	



PS100 DECK HEAD A	201276
PS100 DECK HEAD B	201262
PS100 DHB FIXATOR-R	201263
PS100 DHB FIXATOR-L	201275





PERI (Hong Kong) Limited
 19C&D, Tower B, Billion Centre
 1 Wang Kwong Road
 Kowloon Bay
 Hong Kong
 Phone: +852 3102 7900
 Fax: +852 3188 9258
info@perihk.com

Content	Page
PS100 Deck	2

Changes made	Date Initial	Page
New version	06.07.2022 SR	

PERI Rental Criteria

PS100 Deck



PERI Rental Criteria

PS100 Deck




PS100 Deck	Description	Instruction	Billing Instruction	Type
------------	-------------	-------------	---------------------	------



60.10.08.1 Side profile – local bent

- ≤ 5 mm
- > 5 mm



60.10.08.2 Decking dent

- > permitted bending (l/100 or 15 mm)











Component	Perm. bending
PS100 Deck 500	5 mm
PS100 Deck 750	7.5 mm
PS100 Deck 1000	10 mm
PS100 Deck 1500	15 mm
PS100 Deck 2000	15 mm
PS100 Deck 2500	15 mm
PS100 Deck 3000	15 mm



PERI Rental Criteria

PS100 Deck















PS100 Deck	Description	Instruction	Billing Instruction	Type
	<p>60.10.08.3 Cuts in profile</p>	 		
	<p>60.10.08.4 Hole in the top part of decking</p> <ul style="list-style-type: none">▪ $d > 15 \text{ mm}$	 		

PERI Rental Criteria

PS100 Deck



PS100 Deck	Description	Instruction	Billing Instruction	Type
	<p>60.10.08.5 Crack in the hook</p>		<p>201262 / 201276</p> 	
	<p>60.10.08.6 Hook Bent</p> <ul style="list-style-type: none"> ▪ Without cracks, and ≤ 5 mm ▪ With cracks, or > 5 mm 	  	<p>088244</p>  <p>201262 / 201276</p> 	 

PERI Rental Criteria

PS100 Deck




PS100 Deck	Description	Instruction	Billing Instruction	Type
------------	-------------	-------------	---------------------	------



60.10.08.7 Crack in the claw / Claw bent



201262 /
201276











60.10.08.8 Loosen bolts



PERI Rental Criteria

PS100 Deck










PS100 Deck	Description	Instruction	Billing Instruction	Type								
	<p>60.10.08.9 Lost bolt, Washer, Nut</p>											
	<p>60.10.08.10 Lost component (deck head / deck head fixator)</p> <table border="1" data-bbox="1031 1046 1510 1196"> <tbody> <tr> <td>PS100 DECK HEAD A</td> <td>201276</td> </tr> <tr> <td>PS100 DECK HEAD B</td> <td>201262</td> </tr> <tr> <td>PS100 DHB FIXATOR-R</td> <td>201263</td> </tr> <tr> <td>PS100 DHB FIXATOR-L</td> <td>201275</td> </tr> </tbody> </table>	PS100 DECK HEAD A	201276	PS100 DECK HEAD B	201262	PS100 DHB FIXATOR-R	201263	PS100 DHB FIXATOR-L	201275		 <p>201267 / 201262 / 201263 / 201275</p>	
PS100 DECK HEAD A	201276											
PS100 DECK HEAD B	201262											
PS100 DHB FIXATOR-R	201263											
PS100 DHB FIXATOR-L	201275											

PERI Rental Criteria

PS100 Deck




















PS100 Deck	Description	Instruction	Billing Instruction	Type
	<p>60.10.08.11 Steel plate missing</p>			
	<p>60.10.08.12 Heavily soiled</p>			

PERI Rental Criteria

Glossary icons



Icon	Significance	Icon	Significance	Icon	Significance
	Not Ok– material is scrap		Billing necessary (customer)		Optical damage
	OK– material stays in rental park		No Billing necessary		Functional damage
	Scrap material– it's not permitted to hand out the material because of safety aspects		Shorten the material		Functional damage— it's not permitted to hand out the material
	Repair according to instruction		Mark the material		Static damage— it's not permitted to hand out the material
	Fix material cold – Afterwards, check weld seams and bordering components		Replace damaged material		
	Repair after local economic efficiency calculation		Replace missing material		
	Clean the material				